CONTENTS

PART 1 JANUARY 1994

BATES, P. A. Complete developmental cycle of *Leishmania mexicana* in axenic culture 1

EBERT, D. Genetic differences in the interactions of the microsporidian parasite and four clones of its cyclically parthenogenetic host 11

LOKER, E. S., COUCH, L. and HERTEL, L. A. Elevated agglutination titres in plasma of *Biomphalaria glabrata* exposed to *Echinostoma paraensei*: characterization and functional relevance of a trematode-induced response 17

SCHRAG, S. J. and ROLLINSON, D. Effects of *Schistosoma haematobium* infection on reproductive success and male outcrossing ability in the simultaneous hermaphrodite, *Bulinus truncatus* (Gastropoda: Planorbidae) 27

LEVY-HOLTZMAN, R. and SCHECHTER, I. Schistosome extracts with heat shock factor activity revealed by the gel shift assay 35

FANTAPPIÉ, M. R. and RUMJANEK, F. D. Characterization of a HMG2-like protein from *Schistosoma mansoni* 43

BEN MILED, L., DELLAGI, K., BERNARDI, G., MELROSE, T. R., DARGHOUTH, M., BOUATTOUR, A., KINNAIRD, J., SHIELS, B., TAIT, A. and BROWN, C. G. D. Genomic and phenotypic diversity of Tunisian *Theileria annulata* isolates 51

FAKAE, B. B., HARRISON, L. J. S., ROSS, C. A. and SEWELL, M. M. H. *Heligmosomoides polygyrus* and *Trypanosoma congolense* infections in mice: a laboratory model for concurrent gastrointestinal nematode and trypanosome infections 61

ROSE, M. E., WAKELIN, D. and HESKETH, P. Interactions between infections with *Eimeria* spp. and *Trichinella spiralis* in inbred mice 69

CHAN, L., BUNDY, D. A. P. and KAN, S. P. Genetic relatedness as a determinant of predisposition to *Ascaris lumbricoides* and *Trichuris trichiura* infection 77

HOLDEN-DYE, L. and WALKER, R. J. Characterization of identifiable neurones in the head ganglia of the parasitic nematode *Ascaris suum*: a comparison with central neurones of *Caenorhabditis elegans* 81

BROWNLEE, D. J. A., FAIRWEATHER, I., JOHNSTON, C. F. and SHAW, C. Immunocytochemical demonstration of peptidergic and serotoninergic components in the enteric nervous system of the roundworm, *Ascaris suum* (Nematoda, Ascaroidea) 89

VÄINÖLÄ, R., VALTONEN, E. T. and GIBSON, D. I. Molecular systematics in the acanthocephalan genus *Echinorhynchus* (*sensu lato*) in northern Europe 105

BASÁÑEZ, M. G., BOUSSINESQ, M., PROD'HON, J., FRONTADO, H., VILLAMIZAR, N. J., MEDLEY, G. F. and ANDERSON, R. M. Density-dependent processes in the transmission of human onchocerciasis: intensity of microfilariae in the skin and their uptake by the simuliid host 115

PART 2 FEBRUARY 1994

BAKER, D. A., DARAMOLA, O., MCCROSSAN, M. V., HARMER, J. and TARGETT, G. A. T. Subcellular localization of Pfs16 a *Plasmodium falciparum* gametocyte antigen 129

TOMAVO, S., COUVREUR, G., LERICHE, M. A., SADAK, A., ACHBAROU, A., FORTIER, B. and DUBREMETZ, J. F. Immunolocalization and characterization of the low molecular weight antigen (4–5 kDa) of *Toxoplasma gondii* that elicits an early IgM response upon primary infection 139

ALLSOPP, M. T. E. P., CAVALIER-SMITH, T., DEWAAL, D. T. and ALLSOPP, B. A. Phylogeny and evolution of the piroplasms 147

CAMACHO, M., TARRAB-HAZDAI, R., ESPINOZA, B., ARNON, R. and AGNEW, A. The amount of acetylcholinesterase on the parasite surface reflects the differential sensitivity of schistosome species to metrifonate 153

HIDE, G., GRAHAM, T., BUCHANAN, N., TAIT, A. and KEITH, K. *Trypanosoma brucei*: characterization of protein kinases that are capable of autophosphorylation *in vitro* 161

HARRIS, P. D., JANSEN, P. A. and BAKKE, T. A. The population age structure and reproductive biology of *Gyrodactylus salaris* Malmberg (Monogenea) 167

TOCQUE, K. and TINSLEY, R. C. The relationship between *Pseudodiplorchis americanus* (Monogenea) density and host resources under controlled environmental conditions 175

TOCQUE, K. and TINSLEY, R. C. Survival of *Pseudodiplorchis americanus* (Monogenea) under controlled environmental conditions 185

KO, R. C., FAN, L., LEE, D. L. and COMPTON, H. Changes in host muscles induced by excretory/secretory products of larval *Trichinella spiralis* and *Trichinella pseudospiralis* 195

GREWAL, P. S., LEWIS, E. E., GAUGLER, R. and CAMPBELL, J. F. Host finding behaviour as a predictor of foraging strategy in entomopathogenic nematodes 207

ROSEN, R., SAN, M. L., DENTON, M. E., WOLFE, J. M. and UGLEM, G. L. The rapid development of the glucose transport system in the excysted metacestode of *Hymenolepis diminuta* 217

WASTLING, J. M. and CHAPPELL, L. H. Cyclosporin A: drug treatment *in vivo* affects the kinetics of [^{14}C]glucose transport in *Hymenolepis microstoma in vitro* 223

FRANKS, C. J., HOLDEN-DYE, L., WILLIAMS, R. G., PANG, F. Y. and WALKER, R. J. A nematode FMRF amide-like peptide, SDPNFLRF amide (PF1), relaxes the dorsal muscle strip preparation of *Ascaris suum* 229

PART 3 APRIL 1994

MITTAL, V., BHATTACHARYA, A. and BHATTACHARYA, S. Isolation and characterization of a species-specific multicopy DNA sequence from *Entamoeba histolytica* 237

MAUROIS, P., DELCOURT, PH., GUEUX, E. and RAYSSIGUIER, Y. Magnesium deficiency protects against *Babesia hylomysci* and mice become resistant to rechallenge with the parasite regardless of diet fed 245

ZIDOVETZKI, R., SHERMAN, I. W., PRUDHOMME, J. and CRAWFORD, J. Inhibition of *Plasmodium falciparum* lysophospholipase by anti-malarial drugs and sulphydryl reagents 249

CRANDALL, I. and SHERMAN, I. W. Cytoadherence-related neoantigens on *Plasmodium falciparum* (human malaria)-infected human erythrocytes result from the exposure of normally cryptic regions of the band 3 protein 257

DOURY, J.-C., BONNEFOY, S., ROGER, N., DUBREMETZ, J.-F. and MERCEREAU-PUIJALON, O. Analysis of the high molecular weight rhoptry complex of *Plasmodium falciparum* using monoclonal antibodies 269

BONHOMME, A., THIRION, C., BOULANGER, F., CHARTON, F., BURLET, H., PINON, J. M. and ALIX, A. J. P. *Toxoplasma gondii*-structure variations of the antigen P30 281

RAM, D., ROMANO, B. and SCHECHTER, I. Immunochemical studies on the cercarial-specific calcium binding protein of *Schistosoma mansoni* 289

SOLIS-SOTO, J. M. and DE JONG BRINK, M. Immunocytochemical study on biologically active neurosubstances in daughter sporocysts and cercariae of *Trichobilharzia ocellata* and *Schistosoma mansoni* 301

MAJIWA, P. A. O., THATTHI, R., MOLOO, S. K., NYEKO, J. H. P., OTIENO, L. H. and MALOO, S. Detection of trypanosome infections in the saliva of tsetse flies and buffy-coat samples from antigenaemic but aparasitaemic cattle 313

LUJÁN, H. D. and BRONIA, D. H. Intermembrane lipid transfer during *Trypanosoma cruzi*-induced erythrocyte membrane destabilization 323

NAGESWARAN, C., CRAIG, P. S. and DEVANEY, E. Coproantigen detection in rats experimentally infected with *Strongyloides ratti* 335

BALBUENA, J. A., ASPHOLM, P. E., ANDERSEN, K. I. and BJØRGE, A. Lung-worms (Nematoda: Pseudaliidae) of harbour porpoises (*Phocoena phocoena*) in Norwegian waters: patterns of colonization 343

SCHALLIG, H. D. F. H., VAN LEEUWEN, M. A. W. and HENDRIKX, W. M. L. Immune responses of Texel sheep to excretory/secretory products of adult *Haemonchus contortus* 351

KONG, Y., CHUNG, Y.-B., CHO, S.-Y., CHOI, S.-H. and KANG, S.-Y. Characterization of three neutral proteases of *Spirometra mansoni* plerocercoid 359

Corrigendum 369

PART 4 MAY 1994

GABAY, T., KRUGLIAK, M., SHALMIEV, G. and GINSBURG, H. Inhibition by anti-malarial drugs of haemoglobin denaturation and iron release in acidified red blood cell lysates – a possible mechanism of their anti-malarial effect? 371

FOWLER, R. E., BILLINGSLEY, P. F., PUDNEY, M. and SINDEN, R. E. Inhibitory action of the anti-malarial compound atovaquone (566C80) against *Plasmodium berghei* ANKA in the mosquito, *Anopheles stephensi* 383

CRANDALL, I. and SHERMAN, I. W. Antibodies to synthetic peptides based on band 3 motifs react specifically with *Plasmodium falciparum* (human malaria)-infected erythrocytes and block cytoadherence 389

CAPPAI, R., MORRIS, L., AEBISCHER, T., BACIC, A., CURTIS, J. M., KELLEHER, M., MCLEOD, K. S., MOODY, S. F., OSBORN, A. H. and HANDMAN, E. Ricin-resistant mutants of *Leishmania major* which express modified lipophosphoglycan remain infective for mice 397

WEBSTER, J. P. Prevalence and transmission of *Toxoplasma gondii* in wild brown rats, *Rattus norvegicus* 407

RANDOLPH, S. E. Density-dependent acquired resistance to ticks in natural hosts, independent of concurrent infection with *Babesia microti* 413

ODENING, K., STOLTE, M., WALTER, G., BOCKHARDT, I. and JAKOB, W. Sarcocysts (*Sarcocystis* sp.: Sporozoa) in the European badger, *Meles meles* 421

DAY, T. A., BENNETT, J. L. and PAX, R. A. Serotonin and its requirement for maintenance of contractility in muscle fibres isolated from *Schistosoma mansoni* 425

KÖSTER, B. and STRAND, M. *Schistosoma mansoni*: immunolocalization of two different fucose-containing carbohydrate epitopes 433

JACKSON, J. A. and TINSLEY, R. C. Infrapopulation dynamics of *Gyrdicotylus gallieni* (Monogenea: Gyrodactylidae) 447

FOSTER, N., DEAN, E. J. and LEE, D. L. The effect of homogenates and excretory/secretory products of *Nippostrongylus brasiliensis* and of acetylcholinesterase on the amplitude and frequency of contraction of uninfected rat intestine *in vitro* 453

WAHID, F. N., BEHNKE, J. M., GRENCIS, R. K., ELSE, K. J. and BEN-SMITH, A. W. Immunological relationships during primary infection with *Heligmosomoides polygyrus*: Th2 cytokines and primary response phenotype 461

KEARNS, J. Y., HURD, H. and PULLIN, A. S. Effect of metacestodes of *Hymenolepis diminuta* on storage and circulating carbohydrates in the intermediate host, *Tenebrio molitor* 473

DAVENPORT, T. R. B., EAVES, L. A., HAYES, T. K., LEE, D. L. and ISAAC, R. E. The detection of AKH/HrTH-like peptides in *Ascaridia galli* and *Ascaris suum* using an insect hyperglycaemic bioassay 479

PART 5 JUNE 1994

BARNARD, C. J., BEHNKE, J. M. and SEWELL, J. Social behaviour and susceptibility to infection in house mice (*Mus musculus*): effects of group size, aggressive behaviour and status-related hormonal responses prior to infection on resistance to *Babesia microti* 487

GRAAT, E. A. M., HENKEN, A. M., PLOEGER, H. W., NOORDHUIZEN, J. P. T. M. and VERTOMMEN, M. H. Rate and course of sporulation of oocysts of *Eimeria acervulina* under different environmental conditions 497

HENKEN, A. M., PLOEGER, H. W., GRAAT, E. A. M. and CARPENTER, T. E. Description of a simulation model for the population dynamics of *Eimeria acervulina* infection in broilers 503

HENKEN, A. M., GRAAT, E. A. M., PLOEGER, H. W. and CARPENTER, T. E. Description of a model to simulate effects of *Eimeria acervulina* infection on broiler production 513

LIESHOUT, VAN L., DE JONGE, N., EL-MASRY, N., MANSOUR, M. M., BASSILY, S., KRIJGER, F. W. and DEELDER, A. M. Monitoring the efficacy of different doses of praziquantel by quantification of circulating antigens in serum and urine of schistomiasis patients 519

KHALIFE, J., LIU, J. L., PIERCE, R., PORCHET, E., GODIN, C. and CAPRON, A. Characterization and localization of *Schistosoma mansoni* calreticulin Sm58 527

KHALIFE, J., PIERCE, R. J., GODIN, C. and CAPRON, A. Molecular characterization of two *Schistosoma mansoni* proteins sharing common motifs with the vif protein of HIV-1 533

STAGG, D. A., BISHOP, R. P., MORZARIA, S. P., SHAW, M. K., WESONGA, D., ORINDA, G. O., GROOTENHUIS, J. G., MOLYNEUX, D. H. and YOUNG, A. S. Characterization of *Theileria parva* which infects waterbuck (*Kobus defassa*) 543

STITT, A. W. and FAIRWEATHER, I. The effect of sulphoxide metabolite of triclabendazole ('Fasinex') on the tegument of mature and immature stages of the liver fluke, *Fasciola hepatica* 555

JAENIKE, J. Aggregations of nematode parasites within *Drosophila*: proximate causes 569

GRIFFITHS, G. and PRITCHARD, D. I. Purification and biochemical characterization of acetylcholinesterase (AChE) from the excretory/secretory products of *Trichostrongylus colubriformis* 579

BROWNLEE, D. J. A., BRENNAN, G. P., HALTON, D. W., FAIRWEATHER, I. and SHAW, C. Ultrastructural localization of pancreatic polypeptide- and FMRFamide immunoreactivities within the central nervous system of the nematode, *Ascaris suum* (Nematoda: Ascaroidea) 587

HAWTHORNE, S. J., HALTON, D. W. and WALKER, B. Identification and characterization of the cysteine and serine proteinases of the trematode, *Haplometra cylindracea* and determination of their haemoglobinase activity 595